



2015 release

Adobe Photoshop, Flash & Dreamweaver CC

Web Design Portfolio

Managing Editor: Ellenn Behoriam
Cover & Interior Design: Erika Kendra
Editor: Angelina Kendra
Copy Editor: Liz Bleau

Copyright © 2015 Against The Clock, Inc.
All rights reserved. Printed in the United States of America. This publication is protected by copyright, and permission should be obtained in writing from the publisher prior to any prohibited reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording, or likewise.

The fonts utilized in these training materials are the property of Against The Clock, Inc. and are supplied to the legitimate buyers of the Against The Clock training materials solely for use with the exercises and projects provided in the body of the materials. They may not be used for any other purpose, and under no circumstances may they be transferred to another individual, nor copied or distributed by any means whatsoever.

Against The Clock and the Against The Clock logo are trademarks of Against The Clock, Inc., registered in the United States and elsewhere. References to and instructional materials provided for any particular application program, operating system, hardware platform, or other commercially available product or products do not represent an endorsement of such product or products by Against The Clock, Inc.

Photoshop, Acrobat, Illustrator, InDesign, Flash, Dreamweaver, and PostScript are trademarks of Adobe Systems Incorporated. Macintosh is a trademark of Apple Computer, Inc. Word, Excel, Office, Microsoft, and Windows are either registered trademarks or trademarks of Microsoft Corporation.

Other product and company names mentioned herein may be the trademarks of their respective owners.

The image on the cover shows the Museum of Modern Art in Rio de Janeiro, Brazil. (©Pamela Tekiel | Dreamstime.com)

10 9 8 7 6 5 4 3 2 1

Print book: 978-1-936201-65-5

Ebook book: 978-1-936201-66-2



4710 28th Street North, Saint Petersburg, FL 33714
800-256-4ATC • www.againsttheclock.com

Acknowledgements

ABOUT AGAINST THE CLOCK

Against The Clock, long recognized as one of the nation's leaders in courseware development, has been publishing high-quality educational materials for the graphic and computer arts industries since 1990. The company has developed a solid and widely-respected approach to teaching people how to effectively utilize graphics applications, while maintaining a disciplined approach to real-world problems.

Having developed the *Against The Clock* and the *Essentials for Design* series with Prentice Hall/Pearson Education, ATC drew from years of professional experience and instructor feedback to develop *The Professional Portfolio Series*, focusing on the Adobe Creative Suite. These books feature step-by-step explanations, detailed foundational information, and advice and tips from industry professionals that offer practical solutions to technical issues.

Against The Clock works closely with all major software developers to create learning solutions that fulfill both the requirements of instructors and the needs of students. Thousands of graphic arts professionals — designers, illustrators, imaging specialists, prepress experts, and production managers — began their educations with Against The Clock training books. These professionals studied at Baker College, Nossi College of Art, Virginia Tech, Appalachian State University, Keiser College, University of South Carolina, Gress Graphic Arts Institute, Hagerstown Community College, Kean University, Southern Polytechnic State University, and many other educational institutions.

ABOUT THE AUTHOR

Erika Kendra holds a BA in History and a BA in English Literature from the University of Pittsburgh. She began her career in the graphic communications industry as an editor at Graphic Arts Technical Foundation before moving to Los Angeles in 2000. Erika is the author or co-author of more than thirty books about Adobe graphic design software. She has also written several books about design concepts such as color reproduction and preflighting, and dozens of articles for journals in the graphics industry. Working with Against The Clock for more than fifteen years, Erika was a key partner in developing *The Professional Portfolio Series* of software training books.

CONTRIBUTING AUTHORS, ARTISTS, AND EDITORS

A big thank you to the people whose artwork, comments, and expertise contributed to the success of these books:

- **Chris Barnes**, Wilson Community College
- **Steve Bird**, Adobe Certified Expert
- **Colleen Bredahl**, United Tribes Technical College
- **Debbie Davidson**, Against The Clock, Inc.
- **Charlie Essers**, photographer, Lancaster, Calif.
- **Matthew Guanciale**, Fanboy Photo
- **Pam Harris**, University of North Texas at Dallas
- **Beth Rogers**, Nossi College Of Art
- **Richard Schrand**, International Academy of Design & Technology, Nashville, TN
- **Joseph A. Staudenbaur**, Dakota State University
- **Frank Traina**, Armwood High School
- **Greg Williams**, Keiser University


Finally, thanks to **Angelina Kendra**, editor, and **Liz Bleau**, copy editor, for making sure that we all said what we meant to say.

Walk-Through



Project Goals

Each project begins with a clear description of the overall concepts that are explained in the project; these goals closely match the different “stages” of the project workflow.




The Project Meeting

Each project includes the client's initial comments, which provide valuable information about the job. The Project Art Director, a vital part of any design workflow, also provides fundamental advice and production requirements.


Project Objectives

Each Project Meeting includes a summary of the specific skills required to complete the project.



Real-World Workflow

Projects are broken into logical lessons or “stages” of the workflow. Brief introductions at the beginning of each stage provide vital foundational material required to complete the task.




Step-By-Step Exercises

Every stage of the workflow is broken into multiple hands-on, step-by-step exercises.

Visual Explanations

Wherever possible, screen shots are annotated so that you can quickly identify important information.




Design Foundations

Additional functionality, related tools, and underlying graphic design concepts are included throughout the book.




Advice and Warnings

Where appropriate, sidebars provide shortcuts, warnings, or tips about the topic at hand.




Project Review

After completing each project, you can complete these fill-in-the-blank and short-answer questions to test your understanding of the concepts in the project.



Portfolio Builder Projects

Each step-by-step project is accompanied by a freeform project, allowing you to practice skills and creativity, resulting in an extensive and diverse portfolio of work.



Visual Summary

Using an annotated version of the finished project, you can quickly identify the skills used to complete different aspects of the job.

Projects at a Glance

project 1

Composite Movie Ad

- ❑ Setting Up the Workspace
- ❑ Compositing Images and Artwork
- ❑ Creating Silhouettes
- ❑ Managing Multiple Layers
- ❑ Saving Files for Multiple Media



project 3

Talking Kiosk Interface

- ❑ Working with Symbols
- ❑ Working with Sound
- ❑ Creating Frame Animations



project 2

City Promotion Cards

- ❑ Creating New Files
- ❑ Manipulating Pixels
- ❑ Working with Type
- ❑ Creating Style with Layers
- ❑ Working in 3D



project 4

Animated Internet Ads



- ❑ Animating Symbols
- ❑ Working with Text
- ❑ Repurposing Flash Content



project 5

Ocean Animation

- ❑ Importing Bitmaps and Symbols
- ❑ Animating Symbols
- ❑ Programming Basic Timeline Control




Bistro Site Organization

- ❑ Exploring Site Structure
- ❑ Organizing the Site Navigation
- ❑ Naming and Titling Documents
- ❑ Making Files Public



Digital Book Chapter

- ❑ Preparing the Workspace
- ❑ Working with Semantic Markup
- ❑ Working with Special Characters
- ❑ Creating Lists
- ❑ Attaching an External CSS File




Photographer's Web Site

- ❑ Placing Static Foreground Images
- ❑ Extracting Photoshop Assets



Yosemite CSS Layout

- ❑ Creating Layouts with Style Sheets
- ❑ Working with a Template
- ❑ Using CSS to Control Content



The *Against The Clock Portfolio Series* teaches graphic design software tools and techniques entirely within the framework of real-world projects; we introduce and explain skills where they would naturally fall into a real project workflow.

The project-based approach in *The Professional Portfolio Series* allows you to get in depth with the software beginning in Project 1 — you don't have to read several chapters of introductory material before you can start creating finished artwork.

Our approach also prevents “topic tedium” — in other words, we don't require you to read pages and pages of information about text (for example); instead, we explain text tools and options as part of a larger project (in this case, as part of a book cover).

Clear, easy-to-read, step-by-step instructions walk you through every phase of each job, from creating a new file to saving the finished piece. Wherever logical, we also offer practical advice and tips about underlying concepts and graphic design practices that will benefit students as they enter the job market.

The projects in this book reflect a range of different types of Web design jobs, from correcting menu images to building a complete Web page with CSS. When you finish the projects in this book (and the accompanying Portfolio Builder exercises), you will have a substantial body of work that should impress any potential employer.

The nine projects are described briefly here; more detail is provided in the full table of contents (beginning on Page viii).

ACKNOWLEDGEMENTS	III
PROJECTS AT A GLANCE	VI
GETTING STARTED	XV
THE PHOTOSHOP CC USER INTERFACE	1
Explore the Photoshop Interface	1
Understanding the Application Frame	2
Explore the Arrangement of Photoshop Panels	5
Accessing Photoshop Tools	9
Create a Saved Workspace	10
Customizing Keyboard Shortcuts and Menus	11
Explore the Photoshop Document Views	12
Summing Up the Photoshop View Options	17
Explore the Arrangement of Multiple Documents	18
Synchronizing Settings	21
Project 1 COMPOSITE MOVIE AD	23
Stage 1 Setting Up the Workspace	25
Create the New File	25
Understanding Color Modes	27
Define the Background	29
Place Page Guides	30
Stage 2 Compositing Images and Artwork	34
Copy and Paste Layers	35
Understanding Effective Resolution	39
Rasterize a Vector File	40
Place Vector Graphics as Smart Object Layers	42
Working with Embedded and Linked Smart Objects	44
Stage 3 Creating Silhouettes	45
Transform a Layer	45
Understanding Smart Guides	49
Make and Refine a Quick Selection	50
Draw a Vector Path	54
Understanding Anchor Points and Handles	55
Edit a Vector Path	59
Create a Layer Mask	62
Select a Color Range	63
Stage 4 Managing Multiple Layers	68
Manipulate and Arrange Layers	68
Create a Nested Group	71
Finish the Ad	73
Stage 5 Saving Files for Multiple Media	74
Save a Flat TIFF File	74
Save a JPEG File for Digital Media	76
Project Review	79
Portfolio Builder Project	80

Stage 1	Creating New Files	85
	Create a New Color-Managed File.	85
	Control the Background Layer	88
	Control Missing and Mismatched Profiles	90
Stage 2	Manipulating Pixels	92
	Apply Content-Aware Scaling	92
	More about Content-Aware Scaling.	94
	Use the Content-Aware Move Tool	94
	Apply a Tilt-Shift Blur Effect.	97
	More about the Content-Aware Move Tool	97
	Apply an Iris Blur Effect	100
	More about the Blur Gallery	102
Stage 3	Working with Type	104
	Place and Format Point Type.	105
	Use the Move Tool with Type Layers	109
	The Character Panel in Depth	109
	Create Vertically Oriented Type.	111
	The Paragraph Panel in Depth.	115
	Create and Control Area Type	116
	Create Paragraph Styles	118
	Load Paragraph Styles from Another File.	121
	More about Working with Type.	122
Stage 4	Creating Style with Layers	123
	Create a Solid-Color Fill Layer	123
	Apply and Copy Layer Styles.	126
Stage 5	Working in 3D	130
	Create a 3D Postcard.	131
	Move an Object in 3D	133
	Understanding 3D Materials Properties.	138
	Create a 3D Sphere	139
	Create Layer Comps	145
	Project Review	148
	Portfolio Builder Project	149

THE FLASH CC USER INTERFACE	151
Explore the Flash Interface	151
Customizing Flash Behavior	152
Identifying and Accessing Tools in Flash	155
Explore the Flash Document Window.	156
Understanding the Flash View Options	160
 Project 3 TALKING KIOSK INTERFACE	 161
Stage 1 Working with Symbols	163
The Library Panel in Depth	163
Create a New Flash File	164
Import Adobe Illustrator Artwork	165
Import Files to the Library	168
Convert Objects to Symbols	169
Create a Button Symbol	173
Define a Hit Frame	175
Using Different Symbol-Editing Modes.	177
Edit Symbol Properties	178
Explore the Symbol Registration Point	179
Organize Your Library with Folders	182
Stage 2 Working with Sound	184
Import Sound Files	184
Add Event Sound	185
Edit a Sound Envelope to Control Volume	187
More about Editing Sound Files	188
Use the Start and Stop Sync Methods for Buttons	189
Stage 3 Creating Frame Animations.	191
Add Streaming Sound	192
Prepare for Lip Syncing	195
Create Lip Sync Animation	196
Define Sound Compression Settings	200
Project Review	202
Portfolio Builder Project	203
 Project 4 ANIMATED INTERNET ADS	 205
Stage 1 Animating Symbols	207
Create an Ad File.	208
Create a Shape Tween	211
Understanding Transformation Options	215
Tween an Object's Color	216
Creating and Controlling Shape Tweens	218
More about Working in the Timeline Panel	220
Create a Classic Tween.	221
Tween an Object's Opacity	224
Stop the Animation Timeline	228

Stage 2	Working with Text	231
	Create a New Text Object	231
	Controlling Text Properties	232
	Define Font Embedding	234
	Control Object Stacking Order	236
Stage 3	Repurposing Flash Content	238
	Scale Content to Document Properties	238
	Manually Adjust Content to Document Properties	240
	Publish the Ad Files	245
	Understanding SWF Publish Settings	247
	Project Review	249
	Portfolio Builder Project	250

Project 5 OCEAN ANIMATION 253

Stage 1	Importing Bitmaps and Symbols	255
	Import Adobe Photoshop Artwork	255
	Copy Assets from External Libraries	257
	Align Objects on the Stage	259
	Transform Symbols and Instances	260
	Create a Movie Clip from Objects on Different Layers	263
	Organize Your Library with Folders	266
Stage 2	Animating Symbols	267
	Create a Basic Frame Animation in a Movie Clip Symbol	267
	Create a Motion Tween	270
	Using Onion Skins	273
	Controlling Animation Speed with Easing	275
	Edit the Shape of the Motion Path	276
	Motion Tween Properties and Presets	278
	Copy and Paste Frames	279
	Define Numeric Transformations in a Tween	281
	Graphics vs. Movie Clips	284
	Animate Effects and Filters	285
Stage 3	Programming Basic Timeline Control	288
	Convert a Motion Tween to a Movie Clip	288
	Prepare Symbol Instances for ActionScript	292
	Add Movie Clip Controls	293
	Add Event Handlers to Buttons	296
	Combine Multiple Event Handlers in a Button	300
	Project Review	302
	Portfolio Builder Project	303

THE DREAMWEAVER CC USER INTERFACE 305

Explore the Dreamweaver Interface	305
Customizing Dreamweaver Behavior	308
Preview Files in Dreamweaver Live View	313
Preview a File in a Browser	316
Remove a Site from Dreamweaver	318
Synchronizing Settings	319

Project 6 BISTRO SITE ORGANIZATION 321

Stage 1 Exploring Site Structure	323
Create a New Site Definition	323
Examine the Site Files	325
Plan Folder Organization	327
The Files Panel in Depth	328
Sort and Move Image Files	329
Changing the Update Preferences	331
Stage 2 Organizing the Site Navigation	332
Create Hyperlinks within the Site	333
The HTML Insert Panel in Depth	335
Copy and Paste Links	340
Adjust Relative Link Paths	342
Accessing Page Content in the Menu Pages	343
Create an Email Link	345
Understanding Web File Naming Conventions	346
Stage 3 Naming and Titling Documents	346
Rename Pages for Search Engine Optimization	347
Create Document Titles for Individual Pages	348
Stage 4 Making Files Public	351
Hide Files from the Web Server	351
Define Remote Connection Info for the Site	353
Upload Files to a Remote Site	355
Export and Remove the Site Definition	357
Project Review	359
Portfolio Builder Project	360

Project 7 DIGITAL BOOK CHAPTER 363

Stage 1 Preparing the Workspace	365
Define the ATC Site	365
Create a New HTML Document	366
Stage 2 Working with Semantic Markup	368
Paste Text Content in Design View	368
Element Names, Tags, and Attributes	370
Format Headings in Design View	372
Formatting Text with the Properties Panel	374

	Format a Blockquote and Inline Quote	374
	Mark up Abbreviations in Code View	377
	Controlling Code Hints	377
	Understanding Code View Formatting	380
	Format with Strong and Em Elements.	381
Stage 3	Working with Special Characters	382
	Insert Special Characters	382
	Create a Table of Quote Characters	385
	Working with HTML Tables.	387
	Use the Insert Other Character Dialog Box.	388
	Insert Special Characters in Code	390
Stage 4	Creating Lists	391
	Create an Ordered List of Web Resources	391
	Create an Unordered List of Navigation Links.	393
Stage 5	Attaching an External CSS File	395
	Add div Tags and Element IDs	395
	Attach the CSS File	398
	Identify the List as a Navigation Bar	400
	Project Review	402
	Portfolio Builder Project	403

Project 8 **PHOTOGRAPHER'S WEB SITE** **405**

Stage 1	Placing Static Foreground Images	407
	Review the Existing Project Status	408
	Place an Image in the Regular Design View.	409
	Place an Image with the Insert Panel	412
	Drag and Drop an Image from the Insert Panel.	415
	Insert an Image with the Assets Panel	416
	Resize and Resample an Image.	418
	The Image Properties Panel in Depth.	422
Stage 2	Extracting Photoshop Assets	423
	Verify your Adobe ID in Dreamweaver	423
	Load a Photoshop File into your Creative Cloud Account.	425
	Extract Text and Images from a Photoshop File	427
	Format the Page Body with Extracted Assets	430
	Format Text with Extracted Styles	436
	Format Element Backgrounds with Extracted Styles	440
	Format Navigation Links with Extracted CSS	445
	Understanding Hexadecimal Color Codes.	446
	Define Background Images for Navigation Link States	449
	Project Review	453
	Portfolio Builder Project	454

Project 9	YOSEMITE CSS LAYOUT	457
Stage 1	Creating Layouts with Style Sheets	459
	Define a Tracing Image	459
	Create an External CSS File	463
	Create a Selector and Add a <div> Tag to the Page	464
	Understanding the CSS Box Model	468
	Create a Selector using the CSS Designer Panel	468
	Understanding CSS Shorthand	471
	Copy and Paste CSS Properties	473
	Define Page Layout with <div> Tags	475
	Create Nested Divs	480
	Control Element Float Position	482
	Define Properties for the <body> Tag	486
	Use the CSS Designer panel to Edit Selectors	489
Stage 2	Working with a Template	492
	Create a Template	492
	Understanding Template Objects	495
	Apply the Template to Existing Pages	496
	The Modify>Templates Menu in Depth	498
	Creating a New Page from a Template	499
	Edit the Design Template	500
	Understanding Named Anchors	502
Stage 3	Using CSS to Control Content	503
	Define HTML Tag Selectors	503
	Create Descendant Selectors	507
	Create Pseudo-Class Selectors	509
	Project Review	512
	Portfolio Builder Project	513

Composite Movie Ad

Tantamount Studios, one of the largest film production companies in Hollywood, is developing a new movie called "Forefathers." You have been hired to develop an advertisement that will be used to announce the movie in both print magazines and digital media.

This project incorporates the following skills:

- ☐ Creating a background image that can accommodate multiple trim sizes in a single file
- ☐ Incorporating vector graphics as rasterized layers and Smart Objects
- ☐ Compositing multiple photographs and scans, using various techniques to silhouette the focal object in each image
- ☐ Scaling and aligning different objects in relation to the page and to each other
- ☐ Managing individual layout elements using layers and layer groups
- ☐ Working with multi-layer and flattened files
- ☐ Saving multiple versions of a file to meet different output requirements



Project Meeting

client comments

Here's a basic synopsis of the movie:

Most American history books teach us that our "forefathers" were esteemed, venerable men who crafted the United States out of lofty and respected ideals. But there's an old saying that history is written by the victors... In other words, who were these men really, and exactly how honorable were they? The movie is about the events during and after the American Revolution — not the war itself, but the personal aspects that drove these individuals to do what they did. It's not a war movie, and it's not a political movie. It's more a study of the human condition... How greed and power can corrupt even the most idealistic of men.

This movie is going to be one of our summer blockbusters, and we're throwing a lot of resources behind it.

art director comments

The client loved the initial concept sketch I submitted last week, so we're ready to start building the files. I've had the photographer prepare the images we need, and the client has provided the studio and rating logo files. They also sent me the primary magazine specs:


- Files should be submitted as flattened TIFF files; CMYK only
- Bleed size: 8.75 × 11.25"
- Trim size: 8.5 × 11"
- Live area: 8 × 10.5"

After you have created the final file for printing, I also need you to create a flattened JPEG file for use in digital media.

project objectives

To complete this project, you will:

- ☐ Create a single file that can contain multiple page sizes
- ☐ Composite multiple images into a single background file
- ☐ Incorporate both raster and vector elements into the same design
- ☐ Use selection techniques to isolate images from their backgrounds
- ☐ Transform and arrange individual layers to create a cohesive design
- ☐ Create layer groups and nested groups to easily manage files
- ☐ Save two different types of TIFF files for different ad requirements



Stage 1 Setting Up the Workspace

There are two primary types of artwork: vector graphics and raster images.

- **Vector graphics** are composed of mathematical descriptions of a series of lines and geometric shapes. These files are commonly created in illustration (“drawing”) applications like Adobe Illustrator. Vector graphics are **resolution independent**; they can be freely scaled and are automatically output at the resolution of the output device.
- **Raster images** are made up of a grid of individual pixels (rasters or bits) in rows and columns (called a **bitmap**). Raster files are **resolution dependent** — their resolution is determined when you scan, photograph, or create the file. (**Line art**, sometimes categorized as a third type of image, is actually a type of raster image that includes only black and white pixels.)

Photoshop is what some people call a “paint” program — it is primarily used to create and manipulate pixel-based or raster images. Raster-image quality depends directly on the resolution; when you create files in Photoshop, you need to understand the resolution requirements from the very beginning of the process.

Pixels per inch (ppi) is the number of pixels in one horizontal or vertical inch of a digital raster file. As a general rule, commercial print jobs require 240–300 pixels per inch at the final output size to achieve good image quality in the printed piece. Some digital media such as desktop Web browsers typically require much lower resolution, commonly 72 ppi, although monitors and mobile devices with HD display capabilities support higher-resolution images.

It is important to realize that you cannot significantly increase image resolution once a raster image has been created or captured. When you create files that will be used for both print and digital media — as in the case of this project — you should start with the higher resolution and then reduce the resolution after the composition is complete.

Note:

Why is this information important? The ad you're building in this project will be placed in print magazines, so you have to build the new file with the appropriate settings for commercial printing. When the composition is finished, you will convert it to a resolution and file format that is more appropriate for digital media display.



The same raster image is reproduced here at 300 ppi (left) and 72 ppi (right). Notice the obvious degradation in quality when the resolution is set to 72 ppi.

CREATE THE NEW FILE

When you create a file in Photoshop, you can define a number of important parameters in the New Document dialog box. In this exercise you will define the size, resolution, and color mode of the file that will serve as the background for the composition you create throughout this project.

1. **Download Liberty_Web15_RF.zip from the Student Files Web page.**
2. **Expand the ZIP archive in your WIP folder (Macintosh) or copy the archive contents into your WIP folder (Windows).**


This results in a folder named **Liberty**, which contains all the files you need to complete this project. You should also use this folder to save all files that you create in this project. (If necessary, refer to Page 1 of the Photoshop Interface chapter for specific instructions on expanding or accessing the required resource files.)

3. In Photoshop, choose File>New.

The New dialog box defaults to the Clipboard preset (if you have anything copied) or to the last-used settings.

If Clipboard is showing in the Preset menu, the new file settings will match the current contents of the system clipboard (whatever you last copied in any application).

You can create new files based on a number of included presets, including standard paper sizes (U.S. Paper, International Paper, and Photo) and standard sizes for different devices (Web, Mobile & Devices, and Film & Video). If you choose one of these presets, the Size menu shows secondary options for the selected preset (such as Letter, Legal, or Tabloid for U.S. Paper). Choosing any of these presets automatically changes the values in the other fields.



4. Highlight the Name field and type **forefathers**.


When you save the file, the file name defaults to the name you define when you create the file (in this case, “forefathers”). The name you assign here also appears in the Window menu and on the document tab at the top of the document window.

5. Press Tab until the Width field is highlighted.

Like most applications, you can press Tab to move through the fields of a dialog box. Pressing Shift-Tab moves to the previous field in the dialog box.

6. Click the menu to the right of the Width field and choose Inches.

When you change one unit of measurement (width), the other (height) changes too. (Don’t worry about the default values. You’re going to define exactly what you need in the following steps.)



The Image Size area shows the base file size of the file you’re defining. This number changes dynamically whenever you change an option in this dialog box.

Note:

On Windows, you have to press the Tab key two times to move from the Name field to the Width field.

Note:

You can change the default unit of measurement in the Preferences>Units & Rulers dialog box.

7. Highlight the Width field, then type **8.75** as the new value.

As soon as you change any field, the Preset menu switches to “Custom” — you are defining a “custom” file size.

8. Highlight the Height field, then type **11.25** as the new value.

9. Change the Resolution field to **300**; make sure the menu shows Pixels/Inch.

Pixels/cm is primarily used in countries that use the metric system of measurement. But if you inadvertently set the field to 300 pixels/cm, you’ll create a file that is 762 pixels/inch, which is far more than you need for this project.

You are creating this file to meet print-resolution requirements; when you have finished the ad, you will save a second file with a reduced resolution that is more appropriate for digital media. You are starting with the higher resolution because you can’t significantly increase resolution once a file has been created without degrading image quality.

Note:

Depending on the default options, some of the settings in this exercise might already be selected in your New dialog box.

10. Click the Color Mode menu and choose CMYK.

11. Choose White in the Background Contents menu.

You can set the default background of any new file to White, the current Background Color, or Transparent.

12. In the Advanced options, click the Color Profile menu and choose Don't Color Manage this Document from the top of the menu.


Color management is basically a process for controlling color shift from one color space to another. (This advanced topic is not covered in this book.)

13. Leave the Pixel Aspect Ratio menu set to Square Pixels.

The options in this menu are primarily used for editing video. Since this is a print project, you don't want to alter the pixel ratio.

Note:

*A detailed explanation of color management is provided in the Against The Clock book **Adobe Photoshop CC: The Professional Portfolio**.*



Use this menu to determine the default background color of the file (if any).

When you changed color modes, the Image Size changed to reflect the impact on the file's size.

14. Click OK to create the new file.

Understanding Color Modes

The **color mode** (or color space) defines the structure of the colors in your file.

Bitmap color reproduces all pixels in the image as either black or white; there are no shades of gray.

Grayscale color reproduces all tones in the file as shades of gray. This type of image has only one channel (you learn about color channels later in this book).

RGB creates color by combining different intensities of red, green, and blue light (collectively referred to as the "additive primaries"). Computer monitors and mobile devices display color in RGB, which has a **gamut** or range of more than 16.7 million different colors. An RGB file has three color channels, one for each of the additive primaries.

CMYK ("process") color is based on the absorption and reflection of light. Four process inks — cyan, magenta, yellow, and black (collectively referred to as the "subtractive primaries") — are used in varying combinations and percentages to produce the range of printable colors in most commercial printing. A CMYK file has four color channels, one for each of the four subtractive primaries.


Theoretically, a mixture of equal parts of cyan, magenta, and yellow would produce black. Pigments, however, are not pure, so the result of mixing these colors is a muddy brown (called **hue error**). To obtain vibrant colors (and so elements such as type can be printed cleanly), black ink is added to the three primaries. Black is represented by the letter "K" for "key color."

LAB color is device independent; the colors it describes don't depend upon the characteristics of a particular printer, monitor, or scanner. In theory, LAB bridges the gap between the various color models; it is used in the background when converting images from one color space to another.

The problem with using RGB for print jobs is that the RGB colors eventually need to be converted to CMYK separations for a commercial printing press, and many colors in the RGB model do not exist in the CMYK model. Since you're creating this file for both print and digital media, it's a better idea to create it in the smaller color model to avoid unwanted color shift later in the process.

15. If you don't see rulers on the top and left edges of the document window, choose View>Rulers to toggle rulers on.

As we explained in the Interface chapter, the panels you see depend on what was done the last time you (or someone else) used the Photoshop application. Because workspace arrangement is such a personal preference, we tell you what panels you need to use but we don't tell you where to put them.



Note:


We typically show floating panels so that we can focus on the current topic of discussion. Feel free to dock the panels, grouped or ungrouped, iconized or expanded, however you prefer.

16. Choose File>Save As. Navigate to your WIP>Liberty folder as the location for saving this file.

Because you named the file when you created it (in the New dialog box), the Save As field is automatically set to the file name you already assigned. The extension is automatically added on both Macintosh and Windows computers.

17. Choose Photoshop in the Format menu.

You can save a Photoshop file in a number of different formats, all of which have specific capabilities, limitations, and purposes. While you are still working on a file, it's best to keep it as a native Photoshop (PSD) file.



Note:

Since this is the first time you're seeing this series of dialog boxes (New and Save As), we explained a fairly large number of options. In the following projects, the basic file set-up instructions will be considerably shorter. Whenever you create a new file, refer to this section if you need help.

18. Leave any remaining options unchecked and click Save.

Since this is a very basic file with only a white background, most of the other options in the Save As dialog box are not available at this time.


19. Continue to the next exercise.

DEFINE THE BACKGROUND

Now that the file has been created, the next step is to add a custom background color. When you defined the file, you had three options — white, background color, or transparent. You could have defined the background color before opening the New dialog box, but it is more common to create the file first, and then set the background.

1. With **forefathers.psd** open, choose **View>Fit On Screen**.
2. Click the **Default Foreground and Background Colors** button near the bottom of the **Tools** panel.

By clicking this button, you can always return to the basic black/white options.



Note:

The foreground and background color swatches default to the last-used values.

3. Click the **Set Background Color** button to open the **Color Picker**.

You can use the same process to define the foreground color, except you click the foreground swatch in the Tools panel instead of the background swatch.

4. In the lower-right corner of the dialog box, define the following color values:

C (Cyan) = 0


M (Magenta) = 35

Y (Yellow) = 0

K (Black) = 100

Since you're working on a file in CMYK mode, it makes sense to define colors as percentages of CMYK.

This type of color — 100% black and some percent of another color — is called **rich black** or **superblack**. It might seem like 100% black is black, but when the inks are printed, adding another ink to solid black enhances the richness of the solid black. Adding magenta typically creates a warmer black, while adding cyan typically creates a cooler black.



Drag these sliders to move through the hue spectrum.

Click in this spectrum to change the hue that appears in the preview window.

Type in the fields to define specific color values.


Click anywhere in this window to select a color.

5. Click **OK** to close the **Color Picker** dialog box.

6. Look at the **Layers** panel.

Every file you create has at least one layer. If you use the Transparent option in the New dialog box, the default layer is called "Layer 1" and it is unlocked.

If you define the file with a white (as you did in this project) or another color background, the default layer is named "Background." This Background layer cannot be moved, as indicated by the Lock icon. It can, however, be painted.




Note:

Remember: Panels can always be accessed in the Window menu.

7. With nothing selected in the file, choose Edit>Fill.

8. Choose Background Color in the Contents menu and click OK.

The file has only one layer, so that layer is selected by default. Because no area of the file is currently selected, the Fill process fills the entire selected layer. (Depending on the accuracy of your monitor, you'll see the "rich" magenta color underneath the black — hence the name "rich black").



9. Save the file and continue to the next exercise.

PLACE PAGE GUIDES


The final step in preparing the workspace is defining the live area of the page; all of the important elements of the design need to fit inside the live area.

According to your client, the magazine trim size is 8.5" × 11". (**Trim size** is the actual size of a page once it has been cut out of the press sheet.)

You might have noticed that you created the file 0.25" larger than the larger file size. That's because a file for printing has to incorporate **bleeds** that will print right up to the edge of the paper; to create this effect, you have to extend the page elements and background beyond the page trim size (called **bleed allowance**). Most print applications require at least 1/8" bleed allowance on any bleed edge.

1. With **forefathers.psd** open, choose View>New Guide Layout.

This dialog box makes it very easy to define a page grid using non-printing guides. The dialog box defaults to add 8 columns with a 20-pixel (0.067 in) gutter. In the document window, you can see the guides (blue lines) that will be created based on the active settings in the New Guide Layout dialog box.



Note:

You should familiarize yourself with the most common fraction-to-decimal equivalents:

$$1/8 = 0.125$$

$$1/4 = 0.25$$

$$3/8 = 0.375$$

$$1/2 = 0.5$$


$$5/8 = 0.625$$

$$3/4 = 0.75$$

$$7/8 = 0.875$$

2. Uncheck the Columns option and check the Margin option. Type 0.125 in each of the available margin fields.

You can use the Margin fields to place guides at specific distances from each edge of the canvas. You don't need to type the unit of measurement because the default unit for this file is already inches. Photoshop automatically assumes the value you type is in the default unit of measurement.



Note:

It is not necessary to type the unit of measurement in the dialog box as long as you are using the default units for the active file.

3. Click OK to return to the document and add the required margin guides.


At this point you should have four guides – two vertical and two horizontal, each 1/8" from the file edges. These mark the trim size of your final 8.5 × 11" file.

4. Choose View>100%.

It helps to zoom in to a higher view percentage if you want to precisely place guides. To complete the following steps accurately, we found it necessary to use at least 100% view.

5. In the top-left corner of the document window, click the zero-point crosshairs and drag to the top-left intersection of the guides.

You can reposition the zero point to the top-left corner of the bleed allowance by double-clicking the zero-point crosshairs.



6. Choose the Move tool, and then open the Info panel (Window>Info).

As we explained in the Interface chapter, the panels you see depend on what was done the last time you (or someone else) used the Photoshop application. Because workspace arrangement is such a personal preference, we tell you what panels you need to use, but we don't tell you where to put them.

For this file, the live area (the area in which important objects should be placed) should be 0.25" inset from the trim edge. This is how we determined that number:

$$[\text{Width}] \quad 8.5'' - 8.0'' = 0.5 \div 2 = 0.25''$$


$$[\text{Height}] \quad 11'' - 10.5'' = 0.5'' \div 2 = 0.25''$$

In the next few steps you will add guides that identify the live area.

7. Click the horizontal page ruler at the top of the page and drag down to create a guide positioned at the 1/4" (0.25") mark.

If you watch the vertical ruler, you can see a marker indicating the position of the cursor. In addition to the live cursor feedback, the Info panel also shows the precise numeric position of the guide you are dragging.

You might need zoom in further to place precise guides; we found it necessary to zoom in to 200% to accurately place them.




Note:

Press Option/Alt and click a guide to change it from vertical to horizontal (or vice versa). The guide rotates around the point where you click, which can be useful if you need to find a corner based on the position of an existing guide.

8. Click the vertical ruler at the left and drag right to place a guide at the 0.25" mark.

Watch the marker on the horizontal ruler to judge the guide's position.




Note:

Use the Move tool to reposition placed guides. Remove individual guides by dragging them back onto the ruler.

9. Double-click the intersection of the two rulers.

This resets the file's zero point to the original position (the top-left corner of the canvas).




If you try to reposition a guide and can't, choose View>Lock Guides. If this option is checked, guides are locked; you can't move them until you toggle this option off.

10. Zoom out so you can see the entire canvas in the document window (View>Fit On Screen).


11. Choose View>New Guide. In the resulting dialog box, choose the Horizontal option and type 10.875 in the field and click OK.

This dialog box makes it easy to precisely position guides without dragging, which means you won't have to continually adjust the view percentage to find an exact position.

This dialog box always measures the position of guides from the canvas's top-left corner, regardless of the zero point as reflected in the rulers.




12. Choose View>New Guide again. Choose the Vertical option and type 8.375 in the field. Click OK.



13. Click the View menu and make sure a checkmark appears to the left of Lock Guides. If no checkmark is there, choose Lock Guides to toggle on that option.

After you carefully position specific guides, it's a good idea to lock them so you don't accidentally move or delete them later. If you need to move a guide at any point, simply choose View>Lock Guides to toggle off the option temporarily.



14. Save the file and continue to the next stage of the project.

Because you have already saved this working file with a new name, you can simply choose File>Save, or press Command/Control-S to save without opening a dialog box. If you want to change the file name, you can always choose File>Save As.

Stage 2 Compositing Images and Artwork

Many of the projects you complete in Photoshop involve compositing two or more images into the same file. Technically speaking, **compositing** is the process of combining any two or more objects (images, text, illustrations, etc.) into an overall design. Image compositing might be as simple as placing two images into different areas of a background file, and then adding blurred edges; or it could be as complex as placing a person into a group photo, carefully clipping out the individual's background, and adjusting the shadows to match the lighting in the group.

The movie ad you're building in this project requires compositing three individual images — one that has been scanned and two digital photographs. You'll also incorporate title treatment and logo files that were created in Adobe Illustrator by other members of your creative team. The various elements that make up the ad are fairly representative of the type of work you can (and probably will) create in Photoshop as your career progresses.




COPY AND PASTE LAYERS

Compositing multiple images in Photoshop is a fairly simple process — or at least, it starts out that way. But there are a number of technical and aesthetic issues you must resolve whenever you combine multiple images into a single design.


In this and the next several exercises, you will use several methods to composite multiple images into a single Photoshop file. In the next stage of the project, you will learn various techniques for combining the different pieces into a unified design.

1. With **forefathers.psd** open, choose **File>Open**.
2. Navigate to your **WIP>Liberty** folder. Select **bottle.jpg**, **parchment.tif**, and **quill.jpg**, then click **Open**.

Remember, you can press Command/Control to select multiple non-consecutive files in the Open dialog box. If you press Shift, you select multiple consecutive files.




You should now have four images open in Photoshop — the background file you created earlier, the parchment scan, and the bottle and quill photographs. The document tabs show the color model of each file.



The tabs show all four open documents.

3. Choose **Window>Arrange>4-Up** to show all four images in the document window at one time.

As you saw in the Interface chapter, these options are useful for arranging and viewing multiple open files within your workspace.



4. Click the **parchment** window to activate that file.

Like the file you created, this file has only one layer — Background. Every scan and digital photograph has this characteristic.


Note:

Digital photographs and scans are pixel-based, which is why you use Photoshop to edit and manipulate those types of files.


5. With nothing selected, choose the Move tool at the top of the Tools panel.

6. Click in the parchment file window and drag to the forefathers.psd file window.

Since you didn't select anything specific in the parchment file, you can drag the entire active layer into another file.



When you release the mouse button, the forefathers.psd file — where you dragged to — is active and it now has two layers: Background (the one you created) and Layer 1 (the parchment image you just copied). When you copy or drag a layer from one file into another, it is automatically placed on a new layer with the default name “Layer *n*”, where “*n*” is a sequential number.



The parchment image was scanned in RGB color mode, as you can see in the document's tab. Photoshop cannot maintain multiple color modes in a single file. The RGB parchment image layer is automatically converted to the CMYK color mode you're using in the background file.

7. Close the parchment.tif file.

8. Click the **bottle.jpg** window to activate that file. If you can't see the entire bottle, zoom out until you can.

9. Choose the **Rectangular Marquee tool** in the Tools panel.

In addition to dragging entire layers into other files, you can also select specific areas of a file to copy using one of the selection tools.


10. Using the **Rectangular Marquee tool**, click in the **bottle.jpg** window and drag around the entire shape of the bottle.

By default, dragging with the selection tool creates a new selection. You can use the buttons on the left end of the Options bar to add to the current selection, subtract from the current selection, or intersect with the current selection.




11. Click the **Subtract From Selection** button on the Options bar.

When one of the marquee tools is selected, the Options bar gives you better control over what you are selecting.



12. Drag a new marquee that overlaps the upper corner of the first selection but doesn't include any part of the bottle.

When you release the mouse button, the selection is the area of the first marquee, minus the area of the second marquee. (This isn't particularly necessary in this case, but you should know how to add to and subtract from selections.)



13. Choose **Edit>Copy**.

Note:

Use the marquee tools to create simple-shape selections such as rectangular, elliptical, single row of pixels, or a single column of pixels.

Note:

Marching ants is an industry term for the animated edge of an active selection marquee.

Note:


Press **Shift** while dragging a new marquee to constrain the selection to a square (using the Rectangular Marquee tool) or circle (using the Elliptical Marquee tool).

Note:

When using one of the selection tools, press **Shift** before dragging to add to the current selection, or press **Option/Alt** to subtract from the current selection.

- Click the **forefathers.psd** file window to activate that file, then choose **Edit>Paste**.

The standard Cut and Paste options are available in Photoshop, just as they are in most applications. Whatever you have selected will be copied to the Clipboard, and whatever is in the Clipboard will be pasted.




- Close the **bottle.jpg** file.
- Click the **quill.jpg** window to activate that file, and zoom out so you can see the entire image.
- Select the **Lasso tool** in the Tools panel.

The lasso tools allow you to make irregular selections — in other words, selections that aren't just rectangular or elliptical.

- Drag a shape around the entire quill.


When you release the mouse button, the end point automatically connects to the beginning point of the selection.



- Copy the selection and paste it into the **forefathers.psd** file window, just as you did for the bottle selection.
- Close the **quill.jpg** file.

21. Choose View>Fit On Screen to fit the image into the document window.

You now have a file with four layers, but the composited images are simply stacked one on top of another. You'll fix this problem as you complete the rest of the project.



Note:

You might notice that the parchment image doesn't fit into the background. You'll fix this problem later.

22. Choose File>Save.

Because this is the first time you've saved the file after adding new layers, you should see the Photoshop Format Options dialog box, with the Maximize Compatibility check box already activated. It's a good idea to leave this check box selected so your files will be compatible with other CC applications and other versions of Photoshop.



Note:

If you don't see this dialog box, check the File Handling pane of the Preferences dialog box. You can set the Maximize PSD and PSB File Compatibility menu to Always, Never, or Ask.


23. Make sure the Maximize Compatibility check box is selected and click OK. Continue to the next exercise.

Understanding Effective Resolution

You might have noticed that the bottle and quill images were physically very large — both over 26 inches wide — but they are only 72 dpi. When you copied these images into the forefathers.psd file, however, they were nowhere near 26 inches wide. This is because copied images adopt the resolution of the file you paste them into. On the surface this seems simple; but you should understand what is actually happening behind the scenes, so you don't accidentally lose image quality.

If you open the Image Size dialog box (Image>Image Size) for the bottle.jpg file, you can see that the file's physical dimensions, in pixels, are 1887 × 1917 at 72 dpi. In other words, the bottle image has 1887 pixels in a horizontal row. If you divide 1887 pixels by 72 pixels/inch, you end up with the size in inches: the image is approximately 26.21 inches wide.

When the image is copied into a 300 dpi file, the bottle has the same 1887 pixels across. But when those 1887 pixels are divided by 300 dpi, the pasted image is about 6.3 inches wide. This is why the bottle you pasted into the forefathers.psd file was so much smaller than it appeared in its own file window — the same number of pixels takes up a much smaller space when more pixels fit into an inch. This is the principle of **effective resolution**.






RASTERIZE A VECTOR FILE

As you already know, vector graphics are based on a series of mathematical descriptions that tell the computer processor where to draw lines. Logos and title treatments — such as the ones you use in this project — are commonly created as vector graphics. Although Photoshop is typically a “paint” (pixel-based) application, you can also open and work with vector graphics created in illustration programs like Adobe Illustrator.

1. With **forefathers.psd** open, choose **File>Open** and navigate to the **WIP>Liberty** folder.
2. Select **title.ai** in the list of files, then click **Open**.

This is an Adobe Illustrator file of the movie title text treatment. The Format menu defaults to Photoshop PDF because Illustrator uses PDF as its underlying file structure.

When you open a vector file (Illustrator, EPS, or PDF) in Photoshop, it is rasterized (converted to a raster graphic). The Import PDF dialog box allows you to determine exactly what and how to rasterize the file. The default values in this box are defined by the contents of the file you’re opening.



This window shows thumbnail previews of each artboard or page in the Illustrator file.

When this chain icon appears, the width and height are constrained.

The Crop To options determine the size of the file you import. Depending on the type of file you’re importing and how it was created, some of these values might be the same as others:

- **Bounding Box** is the outermost edges of the artwork in the file.
- **Media Box** is the size of the paper as defined in the file.
- **Crop Box** is the size of the page including printer’s marks.
- **Bleed Box** is the trim size plus any defined bleed allowance.
- **Trim Box** is the trim size as defined in the file.
- **Art Box** is the area of the page as defined in the file.


The Image Size fields default to the settings of the bounding box you select. You can change the size, resolution, color mode, and bit depth by entering new values.

3. Choose **Inches** in the **Width** menu, then change the **Width** field value to **8**.

You know the page size of the smaller ad you’re building is 8” wide, so you can import this file at a size small enough to fit into that space.


Because the Constrain Proportions option is checked by default, the height changes proportionally to match the new width.

4. Make sure the Resolution field is set to **300** pixels/inch, and then choose **CMYK Color** from the Mode menu.



5. Click **OK**.

The title treatment file opens in Photoshop. The checked area behind the text indicates that the background is transparent. If you look at the Layers panel, you'll see that Layer 1 isn't locked; because it's transparent, it is not considered a background layer.



6. Choose the **Move tool** in the **Tools panel**, then choose **Select>All**.

This command creates a selection marquee around the entire canvas in the active file.


7. Choose **Edit>Copy** to copy the selected area.

8. Close the title file. If asked, don't save it.

9. With the **forefathers.psd** file active, choose **Edit>Paste**.

Again, the pasted contents are added on a new layer. (If you still have the entire canvas visible in the document window, you might also notice that the pasted content is placed in the center of the document window.)

Because the title artwork has a transparent background, the other layers are visible behind the text in the composite file.



10. Save **forefathers.psd**, then continue to the next exercise.

PLACE VECTOR GRAPHICS AS SMART OBJECT LAYERS

As you have seen in the last few exercises, copying layer content from one file to another results in new regular layers for the pasted content. Photoshop also supports Smart Object layers, in which you place one file into another instead of pasting layer content. Smart Objects provide a number of advantages over regular layers, which you will explore later in this project. In this exercise, you will create the Smart Object layers for the remaining image elements.

Vector graphics offer several advantages over raster images, including sharper edges and free scaling without deteriorating image quality. To take advantage of these benefits, you might want to maintain vector files as vector objects instead of rasterizing them. Photoshop gives you the option to do exactly that — maintaining vector information and raster information in the same file.

1. With **forefathers.psd** open, choose **File>Place Embedded**.

Two options in the File menu — Place Embedded and Place Linked — give you the option to embed the placed file data into active file, or to place smart objects as links to the original placed file. (See Page 44 For more about placing linked files.)

The Place Embedded dialog box is virtually the same as the Open dialog box. You can use this function any time you want to place one entire file directly into another without dragging or copying and pasting (as you did in the previous exercises).


2. Navigate to and select **rated-r-white.ai** and click **Place**.

3. In the resulting Place PDF dialog box, choose **Art Box** in the **Crop To** menu and then click **OK**.


The Crop To options in this dialog box are the same as those that are available when you rasterize a native Illustrator file.

Note:

You can place either raster or vector files as Smart Objects. If you place a raster file as a Smart Object, double-clicking the thumbnail opens the placed raster file in another Photoshop window.



When the Place PDF dialog box disappears, the placed file appears centered in the document window. Crossed diagonal lines indicate that the placement has not yet been finalized. (You can press the ESC key to cancel the placement.)




Crossed diagonal lines indicate that the placement is not yet final.

4. Press Return/Enter to commit (finalize) the placement.


After you finalize the placement, the bounding box handles and crossed diagonal lines disappear. In the Layers panel, the placed file has its own layer (just as the copied layers do). This layer, however, is automatically named, based on the name of the placed file.

The layer's thumbnail indicates that this layer is a **Smart Object** — it is linked to the file that you placed. Because you are essentially placing a link to the vector file, it isn't rasterized into the Photoshop file; the vector information is maintained.



5. Repeat Steps 1–4 to place the two remaining logo files (sun-white.ai and tantamount-white.ai) as Smart Objects into the composite file.

When you place Smart Objects, they are automatically placed into the center of the document window. So right now, you have a fairly incomprehensible mess of four raster images and three vector objects all piled on top of one another. You'll start to make sense of these files in the next stage.



Note:

Smart Objects provide extremely tight integration between Adobe Photoshop and Adobe Illustrator. You can take advantage of the sophisticated vector-editing features in Adobe Illustrator, and then place those files into Photoshop without losing the ability to edit the vector information.

Note:

Unfortunately you can only place one file at a time using the Place Embedded command.

6. Save the file and continue to the next stage of the project.

Working with Embedded and Linked Smart Objects

In the previous exercise you used the Place Embedded option to create Smart Object layers that contain the placed file data. Using that method the embedded file data becomes a part of the parent file.

If you double-click the thumbnail icon of an embedded Smart Object, the embedded file opens in an application that can edit the stored data — AI files open in Illustrator; PSD, TIFF, and JPEG files open in Photoshop.


When you first open a Smart Object file, the application provides advice for working with Smart Objects:



After you make necessary changes, you can save the file and close it, then return to Photoshop (if necessary). Your changes in the Smart Object file will automatically reflect in the parent file where the Smart Object layer is placed.

Important note: Do not use the Save As option when editing Smart Object layers. The changes will not reflect in the parent file if you save changes with a different file name.

If you choose the Place Linked option in the File menu, Smart Object layer stores a link to the original file data rather than embedding that data inside the parent file.



This icon identifies a linked Smart Object layer.

This provides an opportunity for maintaining consistency because you only need to change one instance of a file to reflect those changes anywhere the file is placed.

Say you place a logo created in Illustrator into a Photoshop file. The same logo is also placed as a link in a number of InDesign documents. If you open the logo in Illustrator and change the main color (for example), then save the changes in the original logo file, the new color automatically reflects in any file — whether InDesign or Photoshop — that is linked to the edited logo.

If you use the Place Embedded option in Photoshop, the Smart Object layer is not linked to the original, edited logo file; you would have to open the embedded Smart Object and make the same color change a second time.

Linked files also have potential disadvantages. As we mentioned previously, double-clicking a Smart Object layer thumbnail opens the linked or embedded file in an application that can edit the relevant data. If you are working with *linked* Smart Object layers, any changes you make affect the original file data. This means your changes appear not only in the parent Photoshop file where it is linked, but also any other file that links to the same data.


For a file to output properly, linked Smart Object layers must be present and up to date at the time of output.

If the linked file has been modified while the parent file is open, the changes automatically reflect in the parent file when you return to that document. If the parent file is not open in Photoshop when the linked file is edited, you will see a Modified icon for the linked Smart Object layer.

If the linked file is deleted or moved to another location after it has been placed, the parent file will show a Missing icon for the linked Smart Object layer.

If a linked Smart Object has been moved while the parent file is not open, you will see a warning dialog box when you open the parent Photoshop file. You can use that dialog box to locate the missing link, or close it and use the options in the Layers panel to correct the problem.


Control/right-clicking a linked Smart Object layer name opens a contextual menu with options to update modified content and resolve broken links.



This icon identifies a linked, missing Smart Object layer.

This icon identifies a linked, modified Smart Object layer.

To avoid potential problems with missing linked files, you can use the File>Package command to create a job folder. The parent file is copied to a new folder, along with a Links subfolder containing any files that are placed as linked Smart Object layers.



Stage 3 Creating Silhouettes

At this stage of the project, you have a single file that contains all of the necessary graphic elements, but you still have a few issues to resolve: the images are stacked on top of one another, some images don't fit into the page area, and some images have border edges that don't fit into the overall design (the blue background around the quill, for example). In this stage, you start fixing these problems.

Virtually any Photoshop project involves making some kind of selection. Making selections is so important, in fact, that there are no fewer than nine tools dedicated specifically to making selections, as well as a whole Select menu and a few other options for making and refining selections.

In an earlier lesson you learned how to use the marquee and lasso tools to draw selections. In the next series of exercises, you use several other selection methods to isolate the graphics from their backgrounds (called **silhouetting**).




TRANSFORM A LAYER

Before you start silhouetting the different elements of the ad, it's a good idea to make them fit into the page area. Photoshop makes scaling, rotating, and other transformations fairly easy to implement.

1. With **forefathers.psd** open, choose **View>Fit on Screen**.
2. Option/Alt-click the eye icon for **Layer 1** to hide all other layers.


Toggling layer visibility is an easy way to see only what you want to see at any given stage in a project.

Clicking the eye icon for a specific layer hides that layer; clicking the empty space where the eye icon should be shows the hidden layer. To show or hide a series of consecutive layers, click the visibility icon (or empty space) for the first layer you want to affect, hold down the mouse button, and drag down to the last layer you want to show or hide.




3. Double-click the Layer 1 layer name and type **Parchment**.

You can rename any layer by simply double-clicking the name and typing. It's always a good idea to name your layers because it makes managing the file much easier — especially when you work with files that include dozens of layers. Even with only four unnamed layers in this file, it would be tedious to have to toggle each layer on to find the one you want.




Double-click to highlight the existing layer name.




Press Return/Enter to finalize the new layer name.

4. With the parchment layer selected, choose **Edit>Transform>Scale**.

You can use this menu to apply any specific transformation to a layer or selection.



When you use the transform options, bounding box handles surround the selection; although the parchment doesn't fit inside the area of your file, you can still see the edges outside the page area. Since the parchment file is so much wider than the background file you created, some of the handles might not be visible.




Some handles might not be visible within the boundaries of the document window.

Bounding box handles control the transformation.


The edge of the bounding box shows that some parts of the layer do not fit within the current file dimensions.

5. Choose View>Zoom Out until you can see all eight bounding box handles.



Zooming out allows you to access all the bounding box handles.

6. Place the cursor within the bounding box. Drag until the left edge of the bounding box snaps to the left edge of the image.




Click inside the Transform bounding box and drag to move the selection.

7. If necessary, zoom out again (or adjust your user interface) until you can see all eight bounding box handles.

8. Press Shift, click the bottom-right bounding box handle, and then drag up and left until the right edge of the bounding box is just past the right edge of the canvas.

The image dynamically changes as you scale the layer. Pressing Shift while you drag a handle constrains the image proportions as you resize it. When you release the mouse button, the handles remain in place until you finalize (“commit”) the transformation.




Click and drag a handle to scale the selection.


Press Shift, the click and drag a corner handle to scale the selection proportionally.

9. Look at the Options bar.

While you're manually transforming a layer or selection, the Options bar shows the specifics. You can also type into these fields to apply specific numeric transformations.



10. In the Options bar, type **51** in Width field and then click the Maintain Aspect Ratio button.



Note:

The Options bar includes a “hidden” feature called the **scrubby slider**. If you place your cursor over a field name, it turns into a pointing hand with left- and right-facing arrows. While you see this cursor, you can drag across the Options bar to increase (drag right) or decrease (drag left) the value in the selected field.




11. Click the Commit Transform button on the Options bar or press Return/Enter to apply the transformation.

12. Choose Edit>Transform>Scale again and look at the Options bar.

Once you commit the transformation, it is final. Looking at the Options bar now, you can see that it shows the layer at 100% instead of the 51% from Step 10.

After committing the original transformation, the new size becomes the layer content's actual size.




13. Click the Cancel button in the Options bar or press the ESC key.

14. Choose the Move tool, then click and drag the selected layer until the pink guides show the selection is centered on the canvas.

While the Move tool is active, pressing the Arrow keys nudges the selected layer by a few pixels at a time. This method is useful for slight movements.

The pink lines that appear as you drag are smart guides, which help you to reposition objects (including selection marquee) relative to other objects or to the canvas.




Pink smart guides identify when the selection aligns the edges or center of other objects, or to the canvas.

15. Save the file and continue to the next exercise.

Understanding Smart Guides

As you dragged the selection marquee in the previous exercise, you might have noticed a series of pink lines appearing in different locations. These lines are a function of Smart Guides, which make it easier to align layer content to other layers or to the overall canvas.


Smart Guides are active by default, but you can toggle them on and off in the View>Show submenu.




The Red Circle layer is selected.

We dragged the Red Circle layer with the Move tool.

Smart Guides identify the center and edges of content on other layers.



Press Command/Control and hover over an object to find the distance between it and the selected layer.



Press Command/Control and hover over the canvas find the distance between the selected layer content and the canvas edges.




MAKE AND REFINE A QUICK SELECTION

Rather than drawing a selection area, you can make selections based on the color in an image. This technique is especially useful when you want to select large areas of solid color, or in photos with significant contrast between the foreground and background.


1. With **forefathers.psd** open, zoom in so you can clearly see the **Parchment** layer content.
2. Choose the **Quick Selection tool** (nested with the **Magic Wand tool**) in the **Tools panel**. In the **Options bar**, make sure the **New Selection** option is active.

As with the other selection tools, the Quick Selection tool can create a new selection, add to the existing selection, or subtract from the existing selection (using the three buttons on the left side of the Options bar).



3. Click at the left edge of the parchment and drag to the right.

The Quick Selection tool essentially allows you to “paint” a selection. As you drag, the selection expands and automatically finds the edges in the image. Because the varying shades in the parchment aren’t significantly different, the resulting selection should closely — but not exactly — match the parchment edges.



Note:



If you stop dragging and then click in a nearby area, the selection grows to include the new area.

4. Click the Refine Edge button on the Options bar.

5. Open the View menu and choose the On White preview option (if it is not already selected).

The preview options allow you to change the way your image appears in the document window while you refine the edges within the dialog box.

- **Marching Ants** shows the basic standard selection.
- **Overlay** shows the unselected areas with a Quick Mask overlay.
- **On Black** shows the selection in color against a black background.
- **On White** shows the selection in color against a white background.
- **Black & White** shows the selected area in white and the unselected area in black.
- **On Layers** shows only the selected area; unselected areas are hidden.
- **Reveal Layer** shows the entire layer, with no visual indication of the selection.



Note:

In a dialog box such as Refine Edge, pressing Option/Alt changes the Cancel button to Reset. If you press Option/Alt and click Reset, you restore the default values in the dialog box without closing the dialog box.

6. Experiment with the adjustments until you're satisfied with the selection edge.


You want to include a small amount of darkness around the edge so that when you invert the selection to remove the hole in the wall, there is no light halo effect left by the selection edge. We used the Shift Edge slider to slightly expand the selection edge.

- **Radius** is the number of pixels around the edge that are affected. Higher radius values (up to 250 pixels) improve the edge in areas of fine detail.
- **Smooth** reduces the number of points that make up your selection and, as the name suggests, makes a smoother edge. You can set smoothness from 0 (very detailed selection) to 100 (very smooth selection).
- **Feather** softens the selection edge, resulting in a transition that does not have a hard edge (in other words, blends into the background). You can feather the selection up to 250 pixels.
- **Contrast** is the degree of variation allowed in the selection edge. Higher Contrast values (up to 100%) mean sharper selection edges.
- **Shift Edge** shrinks or grows the selection edge by the defined percentage (from -100% to 100%).
- **Decontaminate Colors** can be checked to remove a certain percentage of color from the edge of a selection.

Note:

It might help to work with a closer view while you refine edges. You can use the Zoom and Hand tools in the Refine Edge dialog box to change the image view behind the open dialog box.

We adjusted the Refine Edge sliders and arrived at these numbers visually. You'll often be in the same situation – performing actions partially by eye and partially “by the numbers.”




Your numbers don't have to exactly match what we show here, but your finished layer should be close to ours.

7. At the bottom of the dialog box, choose the Layer Mask option in the Output To menu.


This menu can be used to create a new layer or file (with or without a mask) from the selection. You want to mask the existing layer, so you are using the Layer Mask option.

Rather than simply deleting the unwanted background area, another option for isolating an object with a path is to create a **layer mask** that hides the unwanted pixels. Areas outside the mask are hidden but not deleted, so you can later edit the mask to change the visible part of the image.



8. Click OK to accept your refined selection.

A **layer mask** is a map of areas that will be visible in the masked layer. The mask you just created is a raster-based pixel mask, based on the active selection when you created the mask. This is a non-destructive way to hide certain elements of a layer without permanently deleting pixels; you can edit or disable the layer mask at any time.



The resulting layer mask hides areas that were not selected.

The layer mask thumbnail shows the masked (hidden) areas in black.


As long as the mask is linked to the layer, the mask will move along with the layer. You can click this icon to unlink the layer from its mask.

9. Click the mask thumbnail in the Layers panel to select only the mask, and then open the Properties panel (Window>Properties).

Like the Options bar, the Properties panel is contextual. Different options are available in the panel depending on what is selected in the Layers panel. When a layer mask is selected, you can manipulate a variety of properties related to the selected mask.

10. In the Properties panel, click the Invert button.

This button reverses the mask, so now only the background pixels are visible.



Note:

If you choose Apply Layer Mask from the contextual menu, the mask is no longer attached to the layer and the previously masked pixels are permanently removed from the layer.

The layer mask must be selected in the Layers panel.

The Properties panel can be used to edit the selected mask.


Clicking the Invert button reverses the selected layer mask.

11. Click the Invert button again to restore the parchment area of the layer.


Remember, layer masks are non-destructive. You can edit the mask to show or hide different areas of a layer; the actual layer pixels are not affected.

12. In the Layers panel, Control/right-click the mask thumbnail and choose Disable Layer Mask from the contextual menu.

You have to click the mask thumbnail to open the contextual menu for the mask.




When you disable the mask, the background pixels are again visible. Again, this is one of the advantages of using masks — the background pixels are not permanently removed, they are simply hidden.



When the mask is disabled, the masked pixels are visible.

A red X indicates that the mask is disabled.

13. Control/right-click the mask thumbnail and choose **Enable Layer Mask** from the contextual menu.



Note:

Creating selections and then deleting the pixels surrounding an object is a common method for creating silhouettes — but not necessarily the best method. Masks protect the original pixels while providing exactly the same result.

14. Save the file and continue to the next exercise.



DRAW A VECTOR PATH

In some cases, the image content makes it difficult (or at least tedious) to select by color. The bottle image in this ad, for example, has only black colors — the bottle is black, the shadow is a medium black, and the background is a mottled light gray. Selecting by color range will almost certainly result in some of the selection intruding into the bottle shape, and some of the background/shadow area being omitted from the selection. The good news is that Photoshop has other ways for making selections, including several that are specifically designed for selecting areas with hard edges — such as this bottle.



Slight variation between the background color and the bottle glass lets the selection intrude into the bottle shape.

Mottled background meeting the shadow area makes it difficult to select by color.

1. With **forefathers.psd** open, hide the **Parchment** layer and show **Layer 2**.
2. Choose **Select>Deselect** to make sure any selection marquees from previous exercises are turned off.


Pressing Command/Control-D deselects selections more quickly and easily than choosing **Select>Deselect** from the Menu bar. You should learn — and use — keyboard shortcuts wherever you can. They result in measurable time savings.
3. In the **Layers** panel, double-click the **Layer 2** name and rename it **Bottle**.
4. Zoom in so you can more clearly see the bottle edges.

When drawing paths, it helps to work with high view percentages so that you can see the edges more clearly. We're using 50% in our screen shots; you should use whatever works best for you. It isn't necessary to keep the entire image in the project window if you're more comfortable working at higher percentages; you can scroll around the project window while you create paths.


Understanding Anchor Points and Handles

An **anchor point** marks the end of a line **segment**, and the point **handles** determine the shape of that segment. That's the basic definition of a vector, but there is a bit more to it than that. (The Photoshop Help files refer to handles as direction lines and distinguishes different types of points with different names. Our aim here is to explain the overall concept of vector paths, so we use the generic industry-standard terms. For more information on Adobe's terminology, refer to the Photoshop Help files.)


Each segment in a path has two anchor points and two associated handles. We first clicked to create Point A and dragged (without releasing the mouse button) to create Handle A1. We then clicked and dragged to create Point B and Handle B1; Handle B2 is automatically created as a reflection of B1 (Point B is a **symmetrical point**).




This image shows the result of dragging Handle B1 to the left instead of to the right when we created the initial curve. Notice the difference in the curve here, compared to the curve above. When you drag a handle, the connecting segment arcs away from the direction of the handle you drag.




It's important to understand that every line segment is connected to two handles. In this example, Handle A1 and Handle B2 determine the shape of Segment AB. Dragging either handle affects the shape of the connected segment.




Clicking and dragging a point creates a symmetrical (smooth) point; both handles start out at equal length, directly opposite one another. Changing the angle of one handle of a symmetrical point also changes the opposing handle of that point. In the example here, repositioning Handle B1 also moves Handle B2, which affects the shape of Segment AB. (You can, however, change the length of one handle without affecting the length of the other handle.)



You can create corner points by simply clicking with the Pen tool instead of clicking and dragging. Corner points do not have their own handles; the connected segments are controlled by the handles of the other associated points.




You can convert a symmetrical point into a corner point by clicking the point with the Convert Point tool [N] (nested under the Pen tool). You can also add a handle to only one side of an anchor point by Option/Alt-clicking a point with the Convert Point tool and dragging.



5. Choose the Pen tool in the Tools panel.


The Pen tool can be used to create shape layers or paths. Shape layers are vector-based, which means they have mathematically defined edges and can be filled with colors or pixel-based images. Paths are also vector-based, but they do not create their own layers and cannot be directly filled; instead, paths (or clipping paths, to use their full name) are most commonly used to isolate certain portions of an image.



6. In the Options bar, make sure Path is selected in the left menu.

You can use this menu to create a path or a vector shape layer. When you use the Path option, the result will be a vector path that is stored in the Paths panel; nothing is added to the active layer.

If you choose the Shape option, you can define fill color, stroke weight and color, and a number of other shape attributes in the Options bar. The resulting vector path is stored on a special layer called a shape layer.



7. Open the Path Operations menu and choose the Combine Shapes option.

These options define how a new path will interact with any existing paths.



- **New Layer**, available when Layer is selected in the Tool Mode menu, creates a new shape layer every time you draw a new path.
- **Combine Shapes** adds new paths to an already selected path or shape layer. Each path's shape is maintained as a separate vector path.
- **Subtract Front Shape** removes the area of secondary shapes from existing shapes.
- **Intersect Shape Areas** results in a shape that is only the area where a new shape overlaps an existing shape.
- **Exclude Overlapping Shapes** is similar to Subtract; overlapping areas are removed from the existing shape, but non-overlapping areas of the new shape are filled with the shape color.
- The **Merge Shape Components** option, available when a single path contains more than one shape, results in a single (possibly compound) shape. Any overlapping paths are combined into one shape/path.

Note:

If the Subtract Front Shape option is selected, the vector mask you create later will essentially be reversed, hiding the areas within the shape you draw.

8. Click in the image where the bottle opening meets the side of the bottle.

Click here with the Pen tool to add a single anchor point.



A line connects from the placed point to the tool cursor, previewing the appearance of the connecting segment if you click again.

9. Move your cursor down and to the right along the curved edge of the bottle. Click to add an anchor point and drag down and to the right before releasing the mouse button.

When you click and drag with the Pen tool, you are defining the handles for the anchor point. Without getting too heavily into detailed explanations of geometry, you should simply understand that the anchor points determine the ends of line segments, and the handles determine the curve shape of the segments that are connected to that point.



Click here and hold down the mouse button ...

... then drag down and to the right; the curve takes shape as you drag.

Note:

The Auto Add/Delete option in the Options bar, which is active by default, allows you to add or remove points on an active path without manually switching to the Add Anchor Point or Delete Anchor Point tool (nested under the Pen tool).

10. Move the cursor down and to the right, then click and drag down to create another anchor point and handles.



The shape of this line segment is defined by the handles of the two connecting anchor points.

Click here...

...then drag to here.

Note:

A smooth point allows the path to flow continuously from one segment to another. A corner point creates a sharp angle, allowing you to change directions of the path.

11. Move the cursor down and click to add another anchor point. For this point, don't drag a handle.


When you click without dragging, no handles are created for that point. This creates a corner point.



Click here without dragging. The result is a corner point.


Click a smooth point with the Convert Point tool to change it to a corner point. Click and drag a corner point with the Convert Point tool to change a corner point to a smooth point.

12. Move down and to the left, and then click and drag to the left to create another smooth anchor point.
13. Continue clicking and dragging points until you have outlined the entire bottle. Use a corner point where the left side of the bottle opening meets the left side of the bottle.
14. When you reach the first point you created, place your cursor over the point and click to close the path.



This small hollow circle in the cursor icon indicates that clicking will close the path.

Don't worry if your path isn't perfect. You can edit a path at any point, which you will do next.



Some parts of the path aren't as smooth as they should be.

15. Save the file and continue to the next exercise.




EDIT A VECTOR PATH

In most cases, the first path you draw won't be perfect; you'll probably need to edit at least one or two points or segments, move existing points, or even add or delete points before your path exactly matches the shape you're outlining. As you complete this exercise, we show you how to correct the path in our screen shots. You should follow the general directions to correct the path that you drew in the previous exercise.


1. With **forefathers.psd** open, open the **Paths** panel.

When you use the Pen tool to draw a path, it automatically appears in the Paths panel as the Work Path (in italics).



2. Click the empty area in the Paths panel (below the work path).

This effectively “turns off” the path; it is still in the Paths panel, but the points and handles are no longer visible in the file window.




Note:

If you deselect the work path and then draw a new path, your first work path will be lost. You have to manually save the work path if you want to access it again later.

3. Click **Work Path** in the Paths panel to show the current work path in the document window.

4. Choose the Path Selection tool in the Tools panel and click the path in the document window.

The Path Selection tool selects the entire path.



5. Click away from the path to deselect it, then choose the Direct Selection tool (nested under the Path Selection tool).

The Direct Selection tool selects individual points and segments of a path.


6. Zoom in if necessary, and then click one of the segments of your path that needs to be edited.

When you select a segment with the Direct Selection tool, you can see the handles that are associated with that segment.

Note:

If you click a point with the Direct Selection tool, the point appears solid. Unselected points appear hollow.

7. Drag the handle and/or point to correct the bad segment.



8. Continue editing the path until you are satisfied with the result. If you need to add or remove points from the path, use the related tools nested under the Pen tool.


This is one place where we can't give you specific instructions because everyone's path will be a bit different. Keep the following points in mind as you refine your shape:

- Use the Direct Selection tool to select and edit specific segments or points on the path. You can move points to a new position by dragging (or using the Arrow keys), or move their handles to change segment shapes.
- Use the Add Anchor Point tool to add a point to the path.
- Use the Delete Anchor Point tool to remove a point from the path.
- Use the Convert Point tool to change a corner point to a smooth point, and vice versa.



As you work more with paths, anchor points, and handles, you'll become more comfortable with how changing a handle affects the associated line segments. In this case, the best teacher is practice.


9. When you're satisfied with your path, open the Paths panel Options menu and choose Save Path.



10. In the Save Path dialog box, name the path **Bottle Outline and click OK.**

Trust us — when you get into very complicated files with multiple paths, you'll thank yourself for using names that indicate the purpose of a layer, path, or other element.

After you save a path, it stays in the Paths panel; if you draw a new path now, you create a new work path.



11. Save the file and continue to the next exercise.




CREATE A LAYER MASK

You now have a path that outlines the bottle shape, but the bottle background is still in the image. Since you've already selected the shape (with the path), you can easily remove the background using the path you created in the previous exercises.

One option for completing this task is to make a selection based on the path (choose Make Selection in the Paths panel Options menu) and simply delete the pixels outside the selection. This is a pixel-based option, even though the path is a vector. When you make the selection, it will be a rendered version of the original vector path.


The second option for isolating an object with a path is to create a vector-based mask. This option maintains the vector data as the outside edge of the image; areas of the image outside the vector path are hidden but not deleted, so you can later edit the path to change whatever part of the image is visible if necessary.

1. With **forefathers.psd** open, make sure the **Bottle Outline** path is selected in the **Paths** panel.
2. Display the **Layers** panel and make sure the **Bottle** layer is selected.
3. Choose **Layer > Vector Mask > Current Path**.



After applying the mask, a second path appears in the Paths panel. The name identifies the path as a specific layer's vector mask (in this case, "Bottle Vector Mask"). The name is in italics because it is temporary; it only appears in the panel when the masked layer is selected in the Layers panel.

There is no link between the original path (Bottle Outline) and the vector-mask path. If you want to edit the vector mask, you have to first select the masked layer and then use the vector-editing tools to edit the layer's vector-mask path.



4. Save the file and continue to the next exercise.

SELECT A COLOR RANGE


As we said earlier, there is a host of selection options in Photoshop, each with its own advantages and disadvantages. You've already used the marquee tools and lasso tools to select general areas of images; you've used the Quick Selection tool to easily select an entire background, and then refined the edges of that selection; and you've used the Pen tool to select an object with a well-defined edge.

Some images aren't quite as clear-cut as the ones you've silhouetted so far. In fact, many images have both hard and soft edges, and/or very fine detail that needs to be isolated from its background (think of a model's blowing hair overlapping the title on the cover of a magazine). In this type of image, other tools can be used to create a very detailed selection based on the color in the image.

1. With **forefathers.psd** open, hide the Bottle layer and show Layer 3.
2. Rename Layer 3 as **Quill** and zoom out so you can see the entire feather.
3. Choose the Magic Wand tool (under the Quick Selection tool). In the Options bar, make sure the New Selection button is active and set the Tolerance field to **32**.

The Magic Wand tool is an easy way to select large areas of solid color.

The first four options in the Options bar are the same as those for the Marquee tools (New Selection, Add to Selection, Subtract from Selection, and Intersect with Selection).



Tolerance is the degree of variation between the color you click and the colors Photoshop will select; higher tolerance values select a larger range based on the color you click. If you're trying to select a very mottled background (for example), you should increase the tolerance; be careful, however, because increasing the tolerance might select too large a range of colors if the parts of the foreground object falls within the tolerance range.

The **Anti-alias** check box, selected by default, allows edges to blend more smoothly into the background, preventing a jagged, stair-stepped appearance.

When **Contiguous** is selected, the Magic Wand tool only selects adjacent areas of the color; unchecking this option allows you to select all pixels within the color tolerance, even if some pixels are non-contiguous (for example, inside the shape of the letter Q).

By default, selections relate to the active layer only. You can check Sample All Layers to make a selection of all layers in the file.

The **Refine Edge** button opens the same dialog box you used when you isolated the parchment image with the Quick Selection tool.

Note:

The 'W' key automatically picks and toggles between the Magic Wand and the Quick Selection tools (both in the same place on the Tools panel).


Note:

Using any of the selection tools, press Shift and select again to add to the current selection. Press Option/Alt and select again to subtract from the current selection. If you use these modifier keys, you'll see a plus sign (Add To) or minus sign (Subtract From) in the tool cursor.

Note:

Anti-aliasing is the process of blending shades of pixels to create the illusion of sharp lines in a raster image.

4. Click anywhere in the blue area of the image.



5. Choose **Select>Deselect** to turn off the current selection.

Although you could keep adding to the selection with the Magic Wand tool, the marching ants can't really show the fine detail, and they don't show shades of gray. There's a better way to isolate the feather from its blue background.

6. Choose **Select>Color Range**.

7. Make sure the **Localized Color Clusters** option is unchecked.


This option can be used to select specific areas of a selected color. When this option is checked, the Range slider defines how far away (in physical distance) a color from the point you click can be located and still be included in the selection.

8. At the bottom of the dialog box, choose **None** in the **Selection Preview** menu.

The options here are the same as those in the Refine Edge dialog box.

9. Set the **Fuzziness** value to **24** and click anywhere in the blue area around the feather image (in the document window).

Fuzziness is similar to the Tolerance setting for the Magic Wand tool. Higher Fuzziness values allow you to select more variation from the color you click.




Note:

Press Command/Control-D to turn off the current selection.

9. Change the Fuzziness value to **60** and watch the effect on the dialog box preview.

Changing the Fuzziness value expands (higher numbers) or contracts (lower numbers) your selection. Be careful, however, since higher fuzziness values also eliminate very fine lines and details.




Increasing the Fuzziness value allows you to select areas of greater color variation.

10. Choose White Matte in the Selection Preview menu.

By changing the Selection Preview mode, you can more easily determine exactly what is selected. Using the White Matte preview, anything visible is selected.

You can preview color range selections in the image window as grayscale (areas outside the selection are shown in shades of gray), against a black matte (unselected areas are shown in black), against a white matte (unselected areas are shown in white), or using the default Quick Mask settings. If you choose None in the Selection Preview menu, the document window displays the normal image.



Eyedropper tool (new sample eyedropper)

Subtract from Sample

Add to Sample


Light blue indicates parts of the background that aren't entirely selected.

Note:

Because the dialog box preview is so small, we prefer to rely on the preview in the document window, which is controlled in the Selection Preview menu at the bottom of the dialog box.


Depending on where you clicked, your selection might not exactly match what you see in our screen shot. For now, the important point is to know that the visible areas indicate the current selection.

11. Click the Add to Sample eyedropper and click in the image where parts of the blue background are not shown in full strength (light blue).



12. Check the Invert box in the Color Range dialog box.

Because your goal is to isolate the feather and not the background, it helps to look at what you want to keep instead of what you want to remove.




13. Continue adding to (or subtracting from, if necessary) your selection until you are satisfied that all the blue background is gone.


14. Click OK when you're satisfied with your selection.

When you return to the image window, the marching ants indicate the current selection. In the Color Range dialog box, you selected the blue and inverted the selection — in other words, your selection is everything that isn't blue.

If you zoom out to see the entire file, you'll see the marching ants surround the file as well as the blue background. Since the transparent area is not blue, it is included in the selection.




15. Choose the Magic Wand tool in the Tools panel and choose the Subtract from Selection option on the Options bar.
16. Click anywhere in the transparent area (the gray-and-white checkerboard) to remove that area from the selection.



17. In the Layers panel, click the Add Layer Mask button.

Similar to the vector mask you created in the previous exercise, this layer mask shows a new icon linked to the layer icon. A layer mask works on the same principle as the vector mask, except that the layer mask is raster-based instead of vector-based. You can disable the layer mask in the same way you disabled the vector mask in the previous exercise.



18. Save the file and continue to the next stage of the project.

Stage 4 Managing Multiple Layers

Your ad file has most of the necessary pieces. If you show all of the layers, however, you'll still see a bunch of stacked images. It's not yet an actual design, just a pile of images. When you composite images into a cohesive design, you almost certainly need to manipulate and transform some of the layers to make all the pieces work together.

Photoshop includes a number of tools for managing layers, from resizing the layer (as you did for the parchment) to rotating and flipping layers, to aligning different layers to each other, to grouping individual layers so you can work on multiple images at once.



MANIPULATE AND ARRANGE LAYERS

1. With **forefathers.psd** open, hide the Quill layer and show the Background, Parchment, and Layer 4 layers.
2. Rename Layer 4 as **Title**.
3. With the Title layer selected in the Layers panel, choose **Edit>Transform>Scale**.
4. Click one of the corner handles, press **Shift**, and drag until the Options bar shows the layer at approximately 85%.

Because you pressed Shift, the layer automatically rescales proportionally.

Note:

Press **Command/Control-T** to display the transform handles.



Once you've resized the title to fit into the parchment, you need to reposition the title in the center of the parchment. You could do this manually, but Photoshop includes tools that make this task much easier.

5. Press **Return/Enter** to commit (finalize) the rescaling.

6. Using the Move tool, click and drag the Title layer content until smart guides show it aligned horizontally and vertically to the canvas.

Remember, you earlier aligned the Parchment layer content to be centered on the canvas, so this step aligns the Title layer content to the Parchment layer as well as to the canvas.



Note:

Command/Control-clicking a layer thumbnail results in a selection around the contents of that layer.

Note:

You can select noncontiguous layers by pressing Command/Control. You can select contiguous layers by pressing Shift while you click.

Note:

Deselect all layers by clicking in the empty area at the bottom of the Layers panel.

7. In the Layers panel, press Command/Control and click the Parchment layer name to add that layer to the active selection.

Since the Title layer was already selected, the Parchment layer should now be a second selected (highlighted) layer.

You can select noncontiguous layers by pressing Command/Control. You can select contiguous layers by pressing Shift while you click.


8. Click the button in the top-right corner of the panel to open the Layers panel Options menu. Choose New Group from Layers.

This option creates a group that automatically contains the selected layers.

You can also create an empty group by choosing New Group (this option is available even when no layer is selected) or by clicking the New Group button at the bottom of the panel. In this case, the new group is automatically named "Group N" (N is a placeholder for a sequential number); of course, you can rename a layer group just as easily as you can rename a layer.


Click here to open the panel Options menu.

Two layers are selected.




10. In the New Group from Layers dialog box, type **Parchment Title in the Name field and click OK.**

As with any other layer, you should name groups based on what they contain, so you can easily identify them later.



11. Click the arrow left of the Parchment Title group name to expand the layer group.

The two selected layers are now part of the group.



12. Collapse the group by clicking the arrow left of the group name.

13. With the Parchment Title group selected in the Layers panel, use the Move tool to position the Parchment Title group in the bottom third of the document window.

Because the current selection is the layer group, both layers contained within that group are moved in the document window.




14. Save the file and continue to the next exercise.




CREATE A NESTED GROUP

1. With **forefathers.psd** open, show and select the **Bottle** layer.
2. In the **Layers** panel, click the **Bottle** layer and drag up until a heavy bar appears above the **Parchment Title** layer group.

You can move a layer to any position in the **stacking order** (the top-to-bottom position of a layer) by simply dragging it to a new position in the **Layers** panel.



3. With the **Bottle** layer selected, press **Command/Control-T** to enter into **Free Transform** mode. Use the **Options** bar to scale the layer to **40%** (proportionally), then



4. Press **Return/Enter** to finalize the scaling.
5. Using the **Move** tool, drag the bottle until it is directly above the “he” in the title.



6. Show and select the **Quill** layer. In the **Layers** panel, move it above the **Bottle** layer.


7. With the Quill layer selected, enter into Free Transform mode and resize it to 65% proportionally.



8. With the quill layer still selected, choose Edit>Transform>Flip Horizontal.
9. Using the Move tool, drag the selected layer so that the quill image overlaps the “er” in the title, and the tip is within the edges of the parchment. (Use the following image as a placement guide.)




10. In the Layers panel, select the Bottle and Quill layers and group them together in a group named **Bottle and Quill**.
 11. Click the new layer group and drag down. When a heavy border appears around the Parchment Title group, release the mouse button.
- This places the Bottle and Quill group inside the Parchment Title group (called nesting).



12. Expand the Parchment Title layer group.

The nested group is automatically placed at the bottom of the group's stacking order, so the bottle and quill are behind the parchment.



13. Collapse the Parchment Title layer group.
14. Save the file, then continue to the next exercise.




FINISH THE AD

1. With **forefathers.psd** open, show the three remaining layers (the logo Smart Object layers).
2. Resize the Sun logo to 13% and drag it to the bottom-right corner (inside the live area guides of the smaller ad).
3. Resize the Tantamount logo to 20% and drag it to the bottom live area guide, about 1/4" to the left of the Sun logo.
4. Resize the rating logo to 45%. Drag it to the bottom-left corner of the live area.
5. Using smart guides, align the vertical centers of all three logo layers.
6. Combine the three logo layers in a layer group named **Logos**.
7. Choose **File>Place Embedded** to place the file **declaration.psd** (from the **WIP>Liberty** folder) as a Smart Object.
8. Make sure the placed file is scaled at 100% and reaches all edges of the image.
Placed files are sometimes automatically scaled below 100% when you place them. To check, choose **Edit>Transform>Scale** and look at the W or H field in the Options bar.
9. In the **Layers** panel, drag the declaration layer below the **Parchment Title** layer group.

Be careful that you don't drop the declaration layer onto the **Parchment Title** group folder, which would place it inside that group instead of behind it.

Note:

If you use the Options bar to resize a Smart Object, the scale percentage is maintained even after you finalize the change (unlike scaling a regular layer, where the layer reverts to 100% once you finalize the scaling).



10. Save the file and continue to the final stage of the project.

Stage 5 Saving Files for Multiple Media

At the beginning of the project, you saved this file in Photoshop's native format (PSD). However, many Photoshop projects require saving the completed file in at least one other format. Many artists prefer to leave all files in the PSD format since there is only one file to track. Others prefer to send only flattened TIFF files of their artwork because the individual elements can't be changed.

Ultimately, the format (or formats, if the file is being used in multiple places) you use will depend on where and how the file is being placed. For this project, you have been asked to create a flattened, high-resolution, CMYK TIFF file and a low-resolution JPEG file for use on a Web site.


SAVE A FLAT TIFF FILE

The printed magazine suggests that ads created in Photoshop be submitted as flat TIFF files. Since you designed the ad to incorporate bleeds for pages up to 8.5 × 11", all you have to do for this version is save the file in the appropriate format.

1. With **forefathers.psd** open, choose **File>Save As**.
2. If necessary, navigate to your **WIP>Liberty** folder as the target location for saving the final files.

The Save As dialog box defaults to the last-used location. If you continued the entire way through this project without stopping, you won't have to navigate.


3. Open the **Format** menu and choose **TIFF**.



4. In the lower half of the dialog box, **uncheck the Layers option**.

Because this file contains layers, this option is probably checked by default. If your file contained alpha channels, annotations, or spot colors, those check boxes would also be available.

When you uncheck the Layers option, the **As a Copy** check box is automatically activated. You see a warning that the "File must be saved as a copy with this selection."



Choosing a different format automatically changes the file's extension.

Turning off the Layers option automatically activates the As a Copy option.

Note:

*You can manually flatten a file by choosing **Layer>Flatten Image**.*


5. Click Save.

Most file formats include additional options, which you should understand before you simply click OK.

6. In the TIFF Options dialog box, make sure the (Image Compression) None radio button is selected.

TIFF files can be compressed (made smaller) using one of three schemes:

- **None** (as the name implies) applies no compression to the file. This option is safe if file size is not an issue, but digital file transmission often requires files to be smaller than a full-page, multi-layered Photoshop file.
- **LZW** (Lempel-Ziv-Welch) compression is lossless, which means all file data is maintained in the compressed file.
- **ZIP** compression is also lossless, but is not supported by all desktop publishing software (especially older versions).
- **JPEG** is a **lossy** compression scheme, which means some data will be thrown away to reduce the file size. If you choose JPEG compression, the Quality options determine how much data can be discarded. Maximum quality means less data is thrown out and the file is larger. Minimum quality discards the most data and results in the smaller file size.



7. Leave the Pixel Order and Byte Order options at their default values.

Pixel Order determines how channel data is encoded. The Interleaved (RGBRGB) option is the default; Per Channel (RRGGBB) is called “planar” order.


Byte Order determines which platform can use the file, although this is somewhat deceptive. Even in older versions of most desktop publishing software, Macintosh systems can read the PC byte order but Windows couldn’t read the Macintosh byte order. If you don’t know which platform will ultimately be used, choose IBM PC.

Save Image Pyramid creates a tiered file with multiple resolution versions; this isn’t widely used or supported by other applications, so you can typically leave it unchecked.

If your file contains transparency, the Save Transparency check box will be available. If you don’t choose this option, transparent areas will be white in the saved file.

8. Click OK to save the file.

When you return to the document, the original native Photoshop file is still active. The TIFF file that you just created is saved in the target location, but it is not the active file because the As a Copy option was checked in the Save As dialog box. If you had included layers and not intentionally check the As a Copy option, the active file would be the TIFF file that you saved instead of the original native Photoshop file.



9. Continue to the next exercise.



SAVE A JPEG FILE FOR DIGITAL MEDIA


Your client has also requested a low-resolution JPEG file using the RGB color model. Several extra steps are required to create this file with the required settings.

1. With **forefathers.psd** open in Photoshop, choose **File>Save As**.

To protect your work, you are saving this file with a different file name *before* making significant destructive changes.

2. Choose **JPEG** in the **Format** menu. Change the file name to **forefathers-web.jpg**, then click **Save**.


JPEG files do not support multiple layers; when you choose the JPEG format, the Layers option is automatically unchecked and the As a Copy option is automatically activated.



3. In the **JPEG Options** dialog box, choose **High** in the **Quality** menu and then click **OK**.

You can use these options to reduce the weight of the resulting JPEG file. Keep in mind that JPEG is a lossy compression scheme; the application throws away what it perceives as redundant data to reduce the file weight. Lower quality settings mean more compression and smaller file weight (and thus, shorter download time), but you might notice significant deterioration in image quality.

The right side of the dialog box shows the estimated file size — in this case, just over 1 megabyte.



4. Close the **forefathers.psd** file.

Remember, when the As a Copy option is checked, the file you had open before the save remains active in the document window. You need to manually open the JPEG file so you can make the necessary changes for Web distribution.


5. Open **forefathers-web.jpg** from your **WIP>Liberty** folder.

Make sure
forefathers-web.jpg is
the open file.



6. With **forefathers-web.jpg** open, choose **Image>Mode>RGB Color**.

Remember, you created this file using the CMYK color model, which requires four color channels — one for each primary color (cyan, magenta, yellow, and black). Converting the image from CMYK to RGB means the file now requires only three channels (red, green, and blue). This significantly reduces the file weight, which will help to reduce the download time.




Note:

Converting colors from one model to another can result in color shift if you are converting from a larger model to one with a smaller gamut (for example, from RGB to CMYK). Converting from CMYK to RGB is usually safe, and does not typically result in noticeable color shift.


7. Choose **Image>Image Size**.

You created this file at 300 pixels per inch, which is appropriate for commercial print requirements. For Web distribution, however, 300 ppi is far more than you need. To further reduce the file weight and resulting download time, you should downsample the file to 72 ppi — an appropriate resolution for most Web display requirements.



8. With the **Resample** option checked in the **Image Size** dialog box, change the **Resolution** field to **72**.


When the Resample option is checked, changing the resolution does not affect the file's physical size; the actual number of pixels is reduced. In this case, at 72 ppi, only 630 × 810 pixels are required for a file that is 8.75 × 11.25".



9. Click **OK** to finalize the change.

10. Choose File>Save As. Leave the options at their default values and click Save.

You are using the Save As process so that you can review the compression settings that will be applied in the resulting JPEG file.




11. In the resulting warning message, click Replace/OK.

Because you did not change the file name, you are asked to confirm whether you want to overwrite the existing JPEG file.



12. In the JPEG Options dialog box, make sure High is selected in the Quality menu and click OK.

When you first saved the file at the beginning of this exercise, the resulting JPEG file was just over 1 megabyte. By converting the color mode and reducing the resolution, the file is now approximately 152 kilobytes.



13. Close the active file.

Project Review

fill in the blank

1. The _____ is the range of visible and available color in a particular color model.
2. Commercial print applications typically require _____ pixels per inch.
3. A _____ is a linked file that you placed into a Photoshop document.
4. The _____ is context sensitive, providing access to different functions depending on what tool is active.
5. The _____ is the final size of a printed page.
6. The _____ tool is used to draw irregular-shaped selection marquees.
7. The _____ tool is used to create precise shapes based on anchor points and connecting line segments.
8. The _____ tool can be used to drag layer contents to another position within the image, or into another open document.
9. When selecting color ranges, the _____ value determines how much of the current color range falls into the selection.
10. _____ is a lossy compression method that is best used when large file size might be a problem.

short answer

1. Briefly describe the difference between raster images and vector graphics.
2. Briefly explain three separate methods for isolating an image from its background.
3. Briefly describe the relationship between anchor points and handles (direction lines) on a vector path.

Use what you learned in this project to complete the following freeform exercise.

Carefully read the art director and client comments, then create your design to meet the needs of the project.

Use the space below to sketch ideas; when finished, write a brief explanation of the reasoning behind your design.

Carefully read the art director and client comments, then create your design to meet the needs of the project.

Use the space below to sketch ideas; when finished, write a brief explanation of the reasoning behind your design.

Tantamount Studios is pleased with your work on the Forefathers ad, and they would like to hire you again to create the ad concept and final files for another movie that they're releasing early next year.

- ❑ Find appropriate background and foreground images for the movie theme (see the client's comments at right).

- ## client comments

Create this ad big enough to fit on an 8.5 × 11" page, but keep the live area an inch inside the trim, so the ad can be used in different sized magazines.

[illegible]

Project Summary

Making selections is arguably the most important skill you will learn to do in Photoshop. Selections are so important that Photoshop dedicates an entire menu to the process.

As you created the ad in this project, you used a number of skills and techniques that you will apply in many (if not all) projects you build in Photoshop. You learned a number of ways to make both simple and complex selections — and you'll learn additional methods in later projects. You also learned that after you make a selection, you can create composite images, move pixels to silhouette an object against its background, and much more.

Finally, you learned how to save files for Web distribution by changing color mode and reducing file resolution.

